


## Python Loops

- A loop statement allows us to execute a statement or group of statement multiple times
- Python Programming Language provide following types of loops to handle Programming language.
- There are three ways for executing the loops.
  1. while loop
  2. for loop
  3. nested loop



(Diagram to illustrates a loop statement)


# 1. Python While Loop

- The Python while loop allows a part of code to be executed until the given condition returns false.
- It is also known as pre-tested loop.
- It can be viewed as repeating if statement.

## Syntax

while expression:  
statement

## Flowchart:



Notes by:- [jpwebdevelopers.in](http://jpwebdevelopers.in)

## example

```
count = 0
while (count < 3):
    count = count + 1
    print(count)
```

## Output

1  
2  
3


## 2 Python for Loop :-

- A **for** loop is used for iterating over a sequence. (that is either a list, a tuple, a dictionary, a set or a string).

### Syntax:-

```
for var in sequence :
    statement
```

## Flowchart



## Example

```
st = "jpwebdevelopers"  
for ch in st:  
    print(ch)
```

output :::

j  
p  
w  
e  
b  
d  
e  
v  
e  
l  
o  
p  
e  
r  
s

### Example II (for loop in Range)

```
a = range(5)
```

```
for i in a:
```

```
    print(i)
```

Output:-

0

1

2

3

4

### 3. Python Nested Loops :-

- A nested loop is a "loop inside a loop."
- The "inner loop" will be executed one time for each iteration of the "outer loop."
- Python allows to use one loop inside another loop.

Syntax:-


`for` iterator\_var `in` sequence :

`for` iterator\_var `in` sequence :

statement(s)

statement(s)

flowchart:-



Example 1

adj = ["red", "big", "tasty"]  
fruits = ["mango", "Apple", "cherry"]

`for` x `in` adj :

`for` y `in` fruits :

print(x,y)

Output: -

red	mango
red	apple
red	cherry
big	mango
big	apple
big	cherry
tasty	mango
tasty	apple
tasty	cherry

jpwebdevelopers